

MAP LEGEND

Area of Interest (AOI) Area of Interest (AOI) Soils Soil Rating Polygons Excessively drained Somewhat excessively drained Well drained Moderately well drained Somewhat poorly drained Poorly drained

- Excessively drained
- Somewhat excessively drained
- Moderately well drained
- Somewhat poorly drained
- Poorly drained
- Very poorly drained
- Subaqueous
- Not rated or not available

Water Features

Streams and Canals

Transportation

+++ Rails

Interstate Highways

US Routes

Major Roads

Local Roads

Background

Aerial Photography

Soil Rating Lines

Excessively drained

Subaqueous

Very poorly drained

Not rated or not available

Somewhat excessively drained

Well drained

Moderately well drained

Somewhat poorly drained

Poorly drained

Very poorly drained

Subaqueous

Not rated or not available

Soil Rating Points

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:12,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL: http://websoilsurvey.nrcs.usda.gov Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Bayfield County, Wisconsin Survey Area Data: Version 16, Sep 8, 2014

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Sep 9, 2011—Oct 2, 2011

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Drainage Class

Drainage Class— Summary by Map Unit — Bayfield County, Wisconsin (WI007)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
92F	Udorthents, ravines and escarpments, 25 to 60 percent slopes		1.1	2.3%
280C	Odanah silt loam, 6 to 15 percent slopes	Well drained	5.4	11.4%
280D	Odanah silt loam, 15 to 25 percent slopes	Well drained	4.6	9.8%
280F	Odanah silt loam, 25 to 60 percent slopes	Well drained	4.3	9.2%
548A	Pickford-Badriver complex, 0 to 3 percent slopes	Poorly drained	0.7	1.5%
580B	Sanborg-Badriver complex, 0 to 6 percent slopes	Moderately well drained	30.9	65.8%
Totals for Area of Interest			46.9	100.0%

Description

"Drainage class (natural)" refers to the frequency and duration of wet periods under conditions similar to those under which the soil formed. Alterations of the water regime by human activities, either through drainage or irrigation, are not a consideration unless they have significantly changed the morphology of the soil. Seven classes of natural soil drainage are recognized-excessively drained, somewhat excessively drained, well drained, moderately well drained, somewhat poorly drained, poorly drained, and very poorly drained. These classes are defined in the "Soil Survey Manual."

Rating Options

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher